



HID® FARGO® HDP6600

High Definition Printer/Encoder





The new customer demanded standard in retransfer printing.

EVERYTHING YOU WANT IN A RETRANSFER PRINTER

Built on six generations of proven retransfer technology over the last 20+ years, the new HID® FARGO® HDP6600 from HID Global® combines innovative, never-seen-before features and patent-pending iON™ technology with unprecedented print speeds — making it the most advanced, efficient and fastest desktop-based retransfer printer available on the market today.

FASTER IS BETTER

Only the HDP6600 produces high definition cards and IDs at a rate of up to 230 cards per hour and features HID Global's innovative iON technology for image transfer and lamination — an industry first. Patent-pending iON or "instant on" technology rapidly heats the transfer roller and optional laminator allowing the unit to reach optimal operating temperature in just seconds, expediting the entire retransfer printing and lamination processes. Other lamination products can take up to five minutes to initially heat up. With the HDP6600, the unit is ready to produce high-quality cards and IDs in under 60 seconds — virtually eliminating that all-too-familiar long wait for the first card. For laminated cards, this can mean your first card is ready up to 80 percent faster than with other products and can save you up to 20 hours in wait time per year on average.

HIGH-VOLUME PERFORMANCE

Designed to meet the high-volume needs of medium-to-large corporations, universities,

healthcare facilities, government agencies and service bureaus, the HDP6600 includes support for high-yield, full-color ribbon and laminate consumables — keeping costs at a minimum while maximizing productivity.

SECURITY FROM END-TO-END

Equipped with several security features and offering an option to add physical locks, the HID FARGO HDP6600 plays an integral role in the overall security of your card issuance program.

- **Resin scramble data protection** — This unique feature adds an additional layer of security by scrambling and subsequently concealing any information printed with a resin panel. Used ribbon panels are rendered indecipherable, safeguarding cardholder data from fraudulent use.
- **AES 256 data encryption** — Encrypted print job data packets further protect sensitive cardholder data while in transit, guaranteeing data integrity and authentication to the final issuance endpoint
- **Optional physical locks for card hoppers and consumables access** — Prevents unauthorized users from accessing cards and/or other consumables thus thwarting the ability to create counterfeit cards



Create professional, polished credentials.

SHARPER, CRISPER IMAGES AND TEXT WITH 600 DPI

Colors are vibrant. Images and text are crisp. Quality is second to none. ID cards printed on the HID FARGO HDP6600 card printer/encoder do more than protect your organization — they reflect the value you place on your brand. The HDP6600 produces ID cards with the highest image and text quality available, making it a smart choice for any organization whose brand image is paramount. Not only are colors more brilliant and images sharper, but the high quality, 600 dpi resin printing capabilities of the HDP6600 give you the ability to precisely print small text, complex characters and crisply defined barcodes like never before.

FLAWLESS CREDENTIALS

The HID FARGO HDP6600 is also right for organizations that demand more functionality from their ID cards. Encoding options allow configuration of the HDP6600 to produce highly secure contact and contactless smart cards that address your specific needs. The HDP6600 can also print up to the very edge of smart chip contacts and virtually over the edge of each card resulting in professional and polished credentials. The optional card flattener ensures a smooth and level finished card every time.

MULTIPASS FUNCTIONALITY FOR INCREASED DURABILITY

For increased durability, additional HDP film layers may be optionally applied with the printer's inclusive multipass function — providing the enhanced protection that high-use IDs and cards demand.



High Definition Printing

HDP® in 600 dpi delivers the highest image quality layered on the highest functioning cards. Because HDP film is fused directly to the surfaces of proximity or smart cards, it naturally conforms to ridges and indentations created by embedded electronics inside the card — ensuring flawless, sharp-looking, finished credentials every time.



Produce highly durable cards and IDs.

WASTELESS LAMINATION FOR HIGHLY DURABLE CARDS AT A FRACTION OF THE COST

The HDP6600 utilizes HID Global's innovative wasteless lamination technology, eliminating the need for the standard carrier film and take-up core that comprise most lamination consumables on the market today. As such, the HDP6600 helps significantly reduce consumables waste and can reduce high-volume laminate materials costs by as much as 40 percent. Beyond decreased waste and consumables cost savings, wasteless PolyGuard™ LMX overlaminates extend the life of your cards with a 99.5 percent card coverage — the largest in the industry — inherently providing the highest level of card coverage protection available.

FLEXIBLE ONE- OR TWO-MATERIAL LAMINATE CONFIGURATIONS

The HDP6600 offers one- or two-material configurations to best fit your lamination needs. When only a single lamination material is desired for either the front or both the front

and back of your cards, the single laminate material configuration may be utilized. For example, a corporate employee ID may only require a clear laminate patch on both the front and back of the card for enhanced durability.

A dual-side, two-material option is also available for jobs that require different lamination materials on either side of the card. This is especially useful for multipurpose credentials. For instance, government offices, universities and other organizations may opt for a custom, holographic laminate on the front of their multiuse smart cards for added security. Simultaneously, these organizations may want to utilize only a half-patch laminate on the back of the card to protect card elements such as barcodes — or for the purpose of leaving a magnetic stripe unencumbered for cashless vending, transit, physical access to buildings or access to other applications.



— PolyGuard LMX wasteless overlaminates can reduce high volume laminate materials costs by as much as 40%.

Enjoy the benefits of energy efficiency and flexible modularity.

ENERGY-EFFICIENT AND EARTH-FRIENDLY

The HDP6600 is an eco-friendly, energy-efficient solution that supports corporate green initiatives and helps organizations reduce costs. Not only does the HDP6600 considerably reduce consumables waste with innovative wasteless lamination technology, but its industry-leading iON technology with intelligent temperature control ensures that the retransfer and lamination rollers are only on and consuming energy while in operation. This provides unmatched energy efficiency and translates to significant energy savings for larger projects.

A MODULAR SYSTEM THAT CAN GROW WITH YOUR NEEDS

The HDP6600 offers the versatility to meet your card application needs today and in the future. With add-on dual-sided printing, encoding and lamination modules, the system's flexible architecture lets you expand or reduce production instantly.

For greater system capacity, an optional dual input card hopper lets you easily manage multiple card types and higher card volumes, expediting even the biggest production jobs. An optional 200-card input hopper is also available.

The HDP6600 also includes an impressive 1GB of memory and a comprehensive set of integration tools, making it easy to use and maintain with only minimal training. Moreover, because the HDP6600 easily integrates with other products within the HID Global portfolio, you can leverage your existing Genuine HID Technology™ investments.

For one-step, inline printing and encoding, multiple, field-upgradable encoder options are also available.

The optional dual input card hopper increases the printer's card input capacity and allows for easier management of multiple card types. Users can easily switch between card types without having to unload and reload cards — allowing for continuous, uninterrupted productivity.



Dual-sided printer/encoder



Dual-sided printer/encoder with optional lamination

Personalize cards and IDs in one seamless step.

SIMPLIFIED, INLINE PERSONALIZATION OF SECURE CREDENTIALS IN A SINGLE STEP

HID FARGO HDP6600 card encoding modules enable organizations to print and encode credentials in a one-step, inline process — saving both time and money when producing secure credentials for employees, contractors, vendors or students. Using inline card personalization, users have greater flexibility and end-to-end control over their card procurement, inventory management and card issuance processes. Additionally, by combining printing and encoding within a single device, organizations can rest assured that their company-, employee- or student-specific data is included on each user's card, further extending the overall security of the card issuance program.

HID card encoding modules also extend the value of HID FARGO HDP6600 printers by allowing organizations to create cards that are compatible not only with HID products but also with other card/physical access control systems and third-party applications. This technology-agnostic approach to card personalization offers organizations more flexibility in selecting access control systems and greater control over their credentials.

A WIDE VARIETY OF OPTIONS TO MEET A WIDE VARIETY OF NEEDS

Select any FARGO HDP6600 card encoding module option to extend read/write capability for third-party applications such as physical access, time and attendance, and cashless vending, among others. What's more, with the FARGO HDP6600 programmer card encoding module, users can create and program cards that are specifically compatible with HID physical access solutions. This can prove especially beneficial to organizations desiring to upgrade existing card populations for use with the higher security iCLASS SE® platform.

Offering a wide array of inline card encoding technologies, the HID FARGO HDP6600 can meet the needs of virtually any secure credential issuance program. Furthermore, because modules are fully field-upgradeable, FARGO HDP6600 encoding can be added or changed at any time to support new card personalization or evolving security needs as your requirements change over time.



Print and encode multifunction cards for a variety of applications.

GOVERNMENT ID CARDS

Whether for driver's licenses, national IDs, or employee and contractor badges, government agencies demand reliable and secure card issuance. The HDP6600 is a versatile, easy-to-use and cost-effective printer/encoder for producing highly secure, durable government IDs. Its high definition printing capabilities produce cards that are resistant to wear, tear and tampering. Optional Visual Security Solutions™ materials provide added fraud and counterfeit deterrence.

CORPORATE ID BADGES

From large corporations to small businesses, the HDP6600 is streamlining issuance of multifunctional employee ID cards used for visual identification, time and attendance, access control and payment functions. In a single-step, inline process, the printer personalizes smart cards with text and color and writes pre-programmed access data to the card. The printer's inline processing saves time, speeds ID issuance and effectively reduces data entry errors that occur in the common two-step card personalization and data encoding process. The HDP6600 is also workplace-friendly and engineered to keep noise levels at a minimum when printing intermittently within a quiet office environment.

MULTIFUNCTION STUDENT ID CARDS

Yesterday's student photo ID is today's multifunction card on school and college campuses around the world. A single card can be used for physical access to buildings, logical access to networks, library checkout and other services, as well as cashless and debit card transactions on- and off-campus. The HDP6600 makes on-the-spot issuance of these multifunctional student IDs fast and efficient. For IDs that experience significant wear and tear, robust, secure and tamper-resistant high definition printing technology is the right choice.

Fast, innovative and feature-rich, the HID FARGO HDP6600 sets the new customer demanded standard in retransfer printing. To find an HID Advantage Partner or integrator near you, visit hidglobal.com.

SPECIFICATIONS OVERVIEW (COMPLETE HDP6600 SPECS AVAILABLE AT HIDGLOBAL.COM)	
Print Method:	HDP Dye-Sublimation / Resin Thermal Transfer
Resolution:	600 dpi (23.6 dots/mm)
Colors:	Up to 16.7 million / 256 shades per pixel
Print Speed (batch mode):**	• Up to 230 cards per hour / 16 seconds per card (YMCK* with transfer) • Up to 126 cards per hour / 29 seconds per card (YMCKK* with transfer)
Accepted Standard Card Sizes:	CR-80 (3.375" L x 2.125" W / 85.6 mm L x 54 mm W)
Accepted Card Thickness:	.030" (30 mil) to .040" (40 mil) / .762 mm to 1.01 mm
Input Card Cartridge Capacity:	100 cards (.030" / .762 mm)
Output Hopper Card Capacity:	200 cards (.030" / .762 mm)
Software Drivers:	Windows® 10 / 11 / Server 2016 / Server 2019 / Server 2022
Print Area:	Over-the-edge on CR-80 cards
Warranty:	• Printer — Four years including one year of free printer loaner support with option to purchase a second year of printer loaner support (U.S. only) • Printhead — Lifetime, unlimited card passes
Options:	• Dual-sided printing • Wasteless LMX card lamination module (one-material and two-material configurations available) • Magnetic stripe encoder • Contact smart card encoder • Contactless smart card encoding modules • Card flattener • Single-wire Ethernet or USB 2.0 interface for inline printing and encoding (Note: single-wire Ethernet encoding is available with a third-party license) • 200-card input hopper • Dual input card hopper • Physical locks for card hoppers and consumables access • Secure Proprietary Consumables System • Printer cleaning kit
Included Software	FARGO diagnostic utility with Color Assist spot-color matching included with printer driver

* Indicates the ribbon type and the number of ribbon panels printed where Y=Yellow, M=Magenta, C=Cyan, K=Resin Black

** Print speed indicates an approximate print speed and is measured from the time a card drops into the output hopper to the time the next card drops into the output hopper.

Print speeds do not include encoding time or the time needed for the PC to process the image. Process time is dependent on the size of the file, the CPU, the amount of RAM and the available resources at the time of the print.



hidglobal.com

North America: +1 512 776 9000

Toll Free: 1 800 237 7769

Europe, Middle East, Africa: +44 1440 714 850

Asia Pacific: +852 3160 9800

Latin America: +52 (55) 9171-1108

For more global phone numbers click here

© 2024 HID Global Corporation/ASSA ABLOY AB.
All rights reserved.

2024-09-27-si-fargo-hdp6600-printer-br-phase-3-en
PLT-04067

Part of ASSA ABLOY

FARGO® HDP6600 Card Encoding Modules

Simplified, inline personalization of secure credentials in a single step



HID FARGO HDP6600 card encoding modules enable organizations to print and encode credentials in a one-step, inline process — saving both time and money when producing secure credentials for their employees, contractors, vendors or students. Using inline card personalization, users have greater flexibility and end-to-end control over their card procurement, inventory management and card issuance processes. Additionally, by combining printing and encoding within a single device, organizations can rest assured that their company-, employee- or student-specific data is included on each user's card, further extending the overall security of the card issuance program.

HID card encoding modules also extend the value of HID FARGO HDP6600 printers by allowing organizations to create cards that are compatible not only with HID products but also with other card/

physical access control systems and third-party applications. This technology-agnostic approach to card personalization offers organizations more flexibility in selecting access control systems and greater control over their credentials.

Select any FARGO HDP6600 card encoding module option to extend read/write capability for third-party applications such as physical access, time & attendance and cashless vending, among others. What's more, with the FARGO HDP6600 programmer card encoding module, users can create and program cards that are specifically compatible with HID physical access solutions. This can prove especially beneficial to organizations desiring to upgrade existing card populations for use with the higher security iCLASS SE platform.

Offering a wide array of inline card encoding technologies, the HID FARGO HDP6600 can meet the needs of virtually any secure credential issuance program. Further, because modules are fully field-upgradeable, FARGO HDP6600 encoding can be added or changed at any time to support new card personalization or evolving security needs as your requirements change over time.



AVAILABLE ENCODING MODULES:

- **Contactless** — Utilizing the OMNIKEY® 5127CK-Mini, contactless encoding simultaneously supports low and high frequency credentials, including iCLASS Seos®, HID Prox®, iCLASS SE® MIFARE Classic® and MIFARE® DESFire® EV1/EV2
- **Contact** — Utilizing the OMNIKEY 5122, contact encoding integration is quick and easy, with unparalleled support and compatibility with ISO 7816 standards
- **Magnetic Stripe** — Standard magnetic stripe encoding delivers ISO 7811, dual high- and low-coercivity compatibility
- **Programmer** — Utilizing the OMNIKEY 5127 iCLASS SE, programmer encoding affords users the ability to encode the HID Access Control Application area of either Genuine HID or third-party credentials with ease

HID® FARGO HDP6600 CARD ENCODING MODULES PROVIDE:

- Flexible and easy-to-integrate encoding options for read/write capability
- An optional Developer Tool Kit (DTK), which allows for integration with your credential management system
- Field-upgradeable solutions that can support new card personalization and security needs as your requirements change over time

		HID ACCESS CONTROL APPLICATION AREA							THIRD PARTY APPLICATION AREA		
Printer Encoder	Description	Supported Card Types	Card Standards	Read Capability	Write Capability	Custom Key	Elite Key Support	Corporate 1000 Support	Read Capability	Write Capability	Custom Key
HID OMNIKEY® 5122	Contact	Contact smart cards	ISO 7816 Class A, AB and C	N/A	N/A	N/A	N/A	N/A	Yes	Yes	Yes
HID OMNIKEY® 5127CK Mini	Contactless	HID iCLASS Seos™	ISO 14443 A	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
		HID iCLASS SE (SIO Enabled)	ISO 14443 B, ISO 15693	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
		HID iCLASS SR (Standard + SIO)	ISO 14443 B, ISO 15693	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
		HID iCLASS® (Standard)	ISO 14443 B, ISO 15693	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
		HID MIFARE Classic®	ISO 14443 A	Yes	No	N/A	N/A	Yes	Yes	Yes	Yes
		MIFARE Classic	ISO 14443 A	N/A	N/A	N/A	N/A	N/A	Yes	Yes	Yes
		SIO Solution for MIFARE Classic	ISO 14443 A	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
		MIFARE DESFire® EV1/EV2	ISO 14443 A	N/A	N/A	N/A	N/A	N/A	Yes	Yes	Yes
		SIO Solution for MIFARE DESFire EV1/EV2	ISO 14443 A	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
		FeliCa™		No	No	No	No	No	Yes	Yes	Yes
		HID Indala® Prox		Yes	No	N/A	N/A	N/A	N/A	N/A	N/A
		EM Prox		Yes	No	N/A	N/A	N/A	N/A	N/A	N/A
		HID Prox		Yes	No	N/A	N/A	N/A	N/A	N/A	N/A
HID iCLASS SE® Encoder	Programmer	HID iCLASS Seos	ISO 14443 A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
		HID iCLASS SE (SIO Enabled)	ISO 14443 B, ISO 15693	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
		HID iCLASS SR (Standard + SIO)	ISO 14443 B, ISO 15693	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
		HID iCLASS (Standard)	ISO 14443 B, ISO 15693	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
		HID MIFARE Classic	ISO 14443 A	Yes	Yes	N/A	N/A	Yes	Yes	Yes	Yes
		MIFARE Classic	ISO 14443 A	N/A	N/A	N/A	N/A	N/A	Yes	Yes	Yes
		SIO Solution for MIFARE Classic	ISO 14443 A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
		MIFARE DESFire EV1/EV2	ISO 14443 A	N/A	N/A	N/A	N/A	N/A	Yes	Yes	Yes
		SIO Solution for MIFARE DESFire EV1/EV2	ISO 14443 A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
		HID Indala Prox		No	No	N/A	N/A	N/A	N/A	N/A	N/A
		EM Prox		No	No	N/A	N/A	N/A	N/A	N/A	N/A
		HID Prox		Yes	Yes	N/A	N/A	N/A	N/A	N/A	N/A

	Magnetic Encoding	Contactless (5127CK Mini)	Contact (5122)	Programmer (OMNIKEY 5127 iCLASS SE)
FARGO HDP6600 Encoder Options	Dual-sided printers only	Single or dual-sided printer	Dual-sided printers only	Single or dual-sided printer
	COMBINED WITH THE FOLLOWING			
Contactless (5127CK Mini)	Dual-sided printers only	N/A	Dual-sided printers only	Configuration not offered
Contact (5122)	Dual-sided printers only		N/A	Configuration not offered
Programmer (iCLASS SE 5127)	Configuration not offered			N/A



hidglobal.com

North America: +1 512 776 9000 | Toll Free: 1 800 237 7769

Europe, Middle East, Africa: +44 1440 714 850

Asia Pacific: +852 3160 9800 | Latin America: +52 (55) 9171-1108

For more global phone numbers click here

© 2022 HID Global Corporation/ASSA ABLOY AB. All rights reserved.

2022-07-27-si-fargo-hdp6600-enc-mods-ds-en

PLT-04046

Part of ASSA ABLOY

For encoding module driver downloads, please visit www.hidglobal.com/omnikey

HID® FARGO® HDP6600 Consumables

HID GLOBAL PROVIDES A VARIETY OF SECURE CONSUMABLES AND ACCESSORIES TO OPTIMIZE THE PERFORMANCE OF YOUR HID FARGO HDP6600 PRINTER/ENCODER

- **HDP® Ribbons and HDP Film:** High Definition Printing (HDP) ribbons and HDP Film combine to produce durable and tamper resistant cards with crisp 600 dpi images – even on the surface of technology cards
- **PolyGuard™ LMX Overlaminates:** Utilizing HID Global's new wasteless PolyGuard LMX overlaminates, you can lower consumables costs by up to 40 percent while still getting the highest level of card coverage protection in the industry. From creating photo IDs and government credentials, to gift and loyalty cards, the HDP6600's patch placement consistency and rounded laminate corners ensure sharp, professional-looking cards every time. What's more — applying an overlaminate to your cards not only improves card durability and longevity; with an optional holographic design, overlaminates can also significantly increase card security. Overlaminates with standard or custom holograms create an ID card that is difficult to forge, yet easy to verify.
- **Cards:** Graphics-quality UltraCard™ cards feature polished, scratch- and debris-reduced surfaces to optimize the quality of your printed images
- **Cleaning Materials:** Printhead cleaning swabs, interior cleaning cards and interior/exterior cleaning pads facilitate optimal print quality and ensure your printer is clear of dust, debris and build-up that can degrade printer performance over time

HID FARGO Ribbon Consumables for the HID FARGO HDP6600

** Part Number	Description and Yield	Application
084921	YMCK*: Full-color with resin black, 750 images	Photo-accurate color prints, visual recognition
084922	YMCKK*: Full-color with two resin black panels, 600 images	Photo-accurate, full color on front, black text and/or barcodes on back
084916	YMCFK*: Full-color with resin black and dye-based, fluorescing panels, 600 images	UV fluorescent ink panel can create a personalized layer of security only visible under UV light
084917	K*: Resin black (Premium), 3000 images	Bar codes, text, serial numbers, bold graphics

HID FARGO HDP Film Consumables for the HID FARGO HDP6600

HDP Film for the HDP6600 is currently available in clear only.

084900	Clear HDP Film, approximately 1500 images	Clear, panelized film
--------	---	-----------------------

HID FARGO PolyGuard LMX Overlamine Consumables for the HID FARGO HDP6600

PolyGuard LMX Overlaminates, 1000 patches per roll, are available in CR-80 patch size and feature single-core wasteless lamination.

082700	PolyGuard LMX 1.0 mil Overlamine, Clear, 1000 count	Durable, wasteless Overlamine
082701	PolyGuard LMX UV Resistant 1.0 mil Overlamine, Clear, 1000 count	Durable, wasteless Overlamine reduces image fading caused by exposure to light
082702	PolyGuard LMX 1.0 mil Overlamine, High Secure Orbit design, Universal orientation, 1000 count	Durable, wasteless Overlamine with security elements
082710	PolyGuard LMX 1.0 mil Overlamine, half patch, Clear, 1000 count	Durable, wasteless Overlamine half patch for magnetic stripe side of card
082721	PolyGuard LMX UV Resistant 1.0 mil Overlamine with left side cutout for smart chip, Clear, 1000 count	Durable, wasteless Overlamine with left side cutout for smart chip - reduces image fading caused by exposure to light - For use with Lamination Station 1***
082722	PolyGuard LMX 1.0 mil Overlamine with large left side cutout for smart chip, Clear, 1000 Count	Durable, wasteless Overlamine with large left side cutout for smart chip - For use with Lamination Station 1***

HID FARGO UltraCards

HDP6600 Accepted Card Size / Thickness / Construction: CR-80 / 30 mil - 40 mil / PET, PETG, polycarbonate. (Note: ABS and PVC cards are not recommended for use in the HDP6600 Lamination Module.) For best results, HID Global recommends FARGO UltraCards for use with your HDP6600.

082136	UltraCard 30 mil cards – Premium Composite	FARGO Certified UltraCard Premium Composite Cards that offer enhanced card durability and best value – 1 box contains 500 cards
082137	UltraCard 30 mil cards with High-Coercivity Magnetic Stripe - Premium Composite	FARGO Certified UltraCard Premium Composite Cards that offer enhanced card durability and best value - includes High-Coercivity Magnetic Stripe – 1 box contains 500 cards
082289	UltraCard 30 mil cards - Polycarbonate	FARGO Certified UltraCard Polycarbonate Cards that are 100% polycarbonate construction and offer the longest card life – 1 box contains 500 cards

HID FARGO Cleaning Materials for the HID FARGO HDP6600

HID Global recommends cleaning your FARGO HDP6600 printer every 1000 cards to ensure the best performance and to maintain long-term printer reliability.

088933	Cleaning Kit - Includes 4 Printhead Cleaning Swabs, 10 Cleaning Cards, 10 Cleaning Pads and 3 Alcohol Cleaning Cards
086004	Cleaning Rollers – 10 Pack
088932	Cleaning Rollers - 20 Pack
082133	Iso-Propyl Alcohol Cleaning Cards - 10 Pack
086141	Extra Cleaning Cards (double-sided) - 50 Count

HID FARGO Replacement Printhead for the HID FARGO HDP6600

086094	600 dpi Printhead Replacement Kit - Includes Replacement Printhead and complete Printhead assembly
---------------	--

* Indicates the ribbon type and the number of ribbon panels printed where Y=Yellow, M=Magenta, C=Cyan, K=Resin Black, F=Fluorescing, H=Heat Seal

** Part numbers may vary by region. Please contact your dealer, integrator, or HID Sales Associate for regional part numbers.

*** HDP6600 printers/encoders are available in One Material or Two Material configurations. Both configurations include a Lamination Station 1. Only Two Material configurations include both a Lamination Station 1 and a Lamination Station 2. A One Material configuration will utilize only Lamination Station 1, while a Two Material configuration will utilize Lamination Stations 1 and 2. The One Material configuration can be used for dual-sided lamination if only one lamination material is desired on both sides of the card. The Two Material configuration can be used for single or dual-sided lamination and supports the application of two different lamination materials on each side of the card.

For information on additional accessories, please contact your dealer, integrator, or HID Sales Associate.

FARGO Card Printer/Encoders require highly specialized media to function properly. To maximize printed card quality and durability, printhead life and printer/encoder reliability, use only HID FARGO Consumables. HID warranties are void, where not prohibited by law, when non-HID Consumables are used.

FARGO® HDP6600

Print Method:	HDP® Dye-Sublimation / Resin Thermal Transfer
Resolution:	600 dpi (23.6 dots/mm)
Colors:	Up to 16.7 million / 256 shades per pixel
Print Ribbon Options:	• Full-color with resin black, YMCK*, 750 prints • Full-color with two resin black panels, YMCKK*, 600 prints • Full-color with fluorescing and resin black, YMCfK*, 600 prints • Full-color with resin black and heat seal panel for difficult-to-print surfaces, YMCKH*, 600 prints • Resin black, K*, 3000 prints
HDP Film Options:	Clear, 1500 prints
Overlamine Options:	PolyGuard™ LMX Overlaminates are 1.0 mil thick, CR-80 patch size and come in rolls of 1000 prints. Options include full patch, half patch, UV resistant full patch, UV resistant half patch, left side cutout for smart chip, UV resistant left side cutout for smart chip, and High Secure Orbit design (universal orientation). All overlaminates are available in clear, standard holographic design or custom holographic design.
Print Speed:**	Batch Mode: • Up to 230 cards per hour / 16 seconds per card (YMCK* with transfer) • Up to 126 cards per hour / 29 seconds per card (YMCKK* with transfer)
Accepted Standard Card Sizes:	CR-80 (3.375"L x 2.125"W / 85.6mmL x 54mmW)
Print Area:	Over-the-edge on CR-80 cards
Accepted Card Thickness:	.030" (30 mil) to .040" (40 mil) / .762mm to 1.01mm
Accepted Card Types:	ABS, PVC, PET, PETG, proximity, smart and mag stripe cards, polycarbonate. Note: ABS and PVC cards are not recommended for use within the HDP6600 Lamination Module
Input Card Capacity:	100 cards standard (.030" / .762mm) – Optional Dual input hopper or 200-card input hopper available for a total input capacity of 200 cards
Output Hopper Card Capacity:	200 cards (.030" / .762mm)
Card Cleaning:	Replaceable cleaning roller (included with each print ribbon)
Memory:	1 GB RAM
Display:	User-friendly, SmartScreen™ Graphical OLED Control Panel
Software Drivers:	Windows® 7 / 10 / 11 / Server 2012 / Server 2016 / Server 2019 / Server 2022
Encoding Options:	Supported smart card and magnetic stripe technologies: 125kHz (HID Prox) reader; 13.56 MHz (iCLASS® Standard/SE/SR/Seos, MIFARE Classic®, MIFARE Plus®, MIFARE DESFire® EV1, ISO 14443 A/B, ISO 15693) read/write encoder; contact smart card encoder reads from and writes to all ISO7816 1/2/3/4 memory and microprocessor smart cards (T=0, T=1) as well as synchronous cards; ISO magnetic stripe encoding, dual high- and low-coercivity, tracks 1, 2 and 3.
Supported Access Control Credential Programming:	iCLASS® Standard/SE/SR/Seos, MIFARE Classic®, MIFARE DESFire® EV1, HID Prox (Also see the FARGO HDP6600 Card Encoding Modules Datasheet for additional information)
Interface:	USB 2.0, Ethernet (100 Mbps) with internal print server (IPv4- and IPv6-compatible; with support for SNMPv3)
Operating Temperature:	65° to 90° F / 18° to 32° C
Humidity:	20 - 80% non-condensing
Dimensions:	• HDP6600: 13.0"H x 14.5"W x 12.0"D / 330mmH x 368mmW x 305mmD • HDP6600 + Dual-Sided Module: 13.0"H x 19.75"W x 12.0"D / 330mmH x 502mmW x 305mmD • HDP6600 Single-Sided + One Material Lam Module: 14.0"H x 30.5"W x 12.0"D / 356mmH x 775mmW x 305mmD • HDP6600 + Dual-Sided Module + One Material or Two Material Lam Module: 14.0"H x 35.75"W x 12.0"D / 356mmH x 908mmW x 305mmD • One Material or Two Material Lam Module: 14.0"H x 16.0"W x 9.5"D / 356mmH x 406mmW x 241mmD
Weight:	• HDP6600: 21.0 lbs. / 9.5 kg • HDP6600 + Dual-Sided Module: 24.6 lbs. / 11.2 kg • HDP6600 Single-Sided + One Material Lam Module: 35.7 lbs. / 16.2 kg • HDP6600 + Dual-Sided Module + One Material or Two Material Lam Module: 39.3 lbs. / 17.9 kg • One Material or Two Material Lam Module: 14.7 lbs. / 6.7 kg
Certifications***:	UL, CE, FCC, BSMI, MIC, EAC, RCM, CCC, KCC, S-Mark, RoHS
Supply Voltage:	100-240 VAC, 2.5A max
Supply Frequency:	50 Hz / 60 Hz
Data Security:	AES-256 Data Encryption, Resin Scramble Data Protection
Warranty:	• Printer - Four years**** including one year of free printer loaner support with option to purchase a second year of printer loaner support (U.S. only) • Printhead – Lifetime; unlimited card passes
FARGO Secure Materials:	FARGO Card Printer/Encoders require highly specialized media to function properly. To maximize printed card quality and durability, printhead life and printer/encoder reliability, use only HID Secure Materials. HID warranties are void, where not prohibited by law, when non-HID Secure Materials are used.
Options:	Single-wire Ethernet or USB 2.0 interface for inline printing and encoding (Note: single-wire Ethernet encoding is available with a third-party license), Dual-sided printing, LMX card lamination module (One Material and Two Material configurations available), Card flattener, Magnetic stripe encoder, Contact Smart Card encoder, Contactless Smart Card encoding modules, 200-card input hopper, Secure proprietary consumables system, Custom secure holographic overlaminate, Printer cleaning kit, Dual input card hopper module, Physical locks for card hoppers and consumables access
Software:	FARGO diagnostic utility with Color Assist spot-color matching included with printer driver

* Indicates the ribbon type and the number of ribbon panels printed where Y=Yellow, M=Magenta, C=Cyan, K=Resin Black, I=Inhibit, F=Fluorescing, H=Heat Seal

** Print speed indicates an approximate print speed and is measured from the time a card drops into the output hopper to the time the next card drops into the output hopper. Print speeds do not include encoding time or the time needed for the PC to process the image. Process time is dependent on the size of the file, the printhead resolution, the CPU, amount of RAM and the amount of available resources at the time of the print.

*** Please contact your HID Global Sales Representative or local HID Integrator for additional certification information.

**** HID warrants to the end user that HDP6600 units will conform to the manufacturer's specifications and be free from defects in workmanship and materials for a period of four (4) years from the date of original purchase if the unit was purchased on or after August 1, 2024. HDP6600 printer units purchased prior to August 1, 2024, include a three-year warranty.



hidglobal.com

North America: +1 512 776 9000 | Toll Free: 1 800 237 7769
Europe, Middle East, Africa: +353 91 506 900
Asia Pacific: +852 3160 9800 | Latin America: +52 55 9171 1108

For more global phone numbers click here

© 2025 HID Global Corporation/ASSA ABLOY AB. All rights reserved.

2025-07-15-si-fargo-hdp6600-printer-spec-en

PLT-03894

Part of ASSA ABLOY

SPECIFICATIONS SHEET